

Transfusion von Blutprodukten

Fontana S, Rigamonti V. Schweiz Med Forum 2013;13(5):89-93.

DGTI-Register seltene Blutspender

Hustinx H, von Zabern I. Transfusionsmedizin 2013;3:82-84.

P¹/P² genotyping of known and novel null alleles in the P1PK and GLOB histo-blood group systems

Westman JS, Hellberg A, Peyrard T, **Hustinx H**, Thuresson B, Olsson ML. Transfusion 2013;53:2928-2939.

Seroprevalence of hantavirus infections in Switzerland in 2009: difficulties in determining prevalence in a country with low endemicity

Engler O, Klingström J, Aliyev E, **Niederhauser C**, **Fontana S**, Strasser M, Portmann J, Signer J, Bankoul S, Frey F, Hatz C, Stutz A, **Tschaggelar A**, Mütsch M. Euro Surveill. 2013;18(50):pii=20660.

Prevalence of human immunodeficiency virus RNA and antibody in first-time, lapsed, and repeat blood donations across five international regions and relative efficacy of alternative screening scenarios

Bruhn R, Lelie N, Custer B, Busch M, Kleinman S, International NAT Study Group (**Niederhauser C**). Transfusion 2013;53:2399-2412.

Simple Estimation of Incident HIV Infection Rates in Notification Cohorts Based on Window Periods of Algorithms for Evaluation of Line-Immunoassay Result Patterns

Schüpbach J, Gebhardt MD, Scherrer AU, Bisset LR, **Niederhauser C**, et al. PloS ONE 2013;8(8):e71662.

Anti-leucocyte antibodies in platelet apheresis donors with and without prior immunizing events: implications for TRALI prevention

Sigle JP, Thierbach J, Infanti L, **Muriset M**, Hunziker G, Chassot K, **Niederhauser C**, **Gowland P**, Holbro A, Sunic K, Buser A, **Fontana S**. Vox Sanguinis 2013;105(3):244-52.

Serologic and molecular investigations of DAR1 (weak D Type 4.2), DAR1.2, DAR1.3, DAR2 (DARE), and DARA

Lejon Crottet S, Haer-Wigman L, **Gowland P**, **Fontana S**, **Niederhauser C**, **Hustinx H**. Transfusion 2013;53:3000-3008.

HLA haplotype determines hapten or p-i T cell reactivity to flucloxacillin

Wuillemin N, Adam J, **Fontana S**, Krähenbühl S, Pichler WJ, Yerly D. J Immunol 2013;190:4956-64.

Allopurinol hypersensitivity is primarily mediated by dose-dependent oxypurinol-specific T cell response.

Yun J, Mattsson J, Schnyder K, **Fontana S**, Largiadèr CR, Pichler WJ, Yerly D. Clin Exp Allergy 2013;43:1246-55.

2012

Hepatitis B virus in transfusion medicine: Still a problem?

Allain JP, Candotti D; Abolghasemi H, Arslan O, Ayob Y, Belkhiri D, Bianco L, Bird A, Bon EH, Boukef K, Brojer E, Crookes R, Dodd R, Echevarria JM, El Chaar M, ElEkiaby M, ElSiddigh A, Erikstrup C, Foglieni B, Garmiri P, Ghiazza P, Gonzales-Fraile I, Grabarczyk P, Harritshøj LH, Hatzakis A, Hullum J, Iudicone P, Lam S, Laperche S, Lelie N, Levi J, Levicnik-Stežinar S, Li C, Lin CK, Lin SJ, Loua A, Manzini P, Meldal B, Mihaljevic I, **Niederhauser C**, O'Brien S, Osselaer JC, Owusu-Ofori S, Pischl L, Prati D, Roig R, Sakul T, Sauleda S, Schmidt S, Stolz M, Stramer S, Vessberg S, Teo D, Tedder R, Vermeulen M, Wendel S, Zadeh H. *Biologicals*. 2012;40:180-186.

Diagnostic performance of line-immunoassay based algorithms for incident HIV-1 infection.

Schupbach J, Bisset LR, Gebhardt MD, Regenass S, Burgisser P, Gorgievski M, Klimkait T, Andreutti C, Martinetti G, **Niederhauser C**, Yerly S, Pfister S, Schultze D, Brandenberger M, Schoni-Affolter F, Scherrer AU, Guenthard HF and Swiss HIV Cohort Study SHCS. *BMC Infectious Diseases*. 2012; 12:88.

Avidity determines T-cell reactivity in abacavir hypersensitivity.

Adam J, Eriksson KK, Schnyder B, **Fontana S**, Pichler WJ, Yerly D. *Eur J Immunol*. 2012; 42:1706-16.

A novel B^{weak} hybrid allele lacks three enhancer repeats but generates normal ABO transcript levels.

Thuresson B, Hosseini-Maaf B, Hult AK, **Hustinx H**, Alan Chester M, Olsson ML. *VoxSanguinis*. 2012;102:55-64.

Reverse vertical transmission of hepatitis B virus (HBV) infection from a transfusion-infected newborn to her mother.

Niederhauser C, Candotti D, Weingand T, Maier A, **Tinguely C**, **Stolz M**, Allain JP. *Journal of Hepatology*. 2012;Vol. 56: 734-737.

Grosses Engagement der biomedizinischen Analytikerinnen.

Hustinx H, Nydegger UE. *pipette*. 2012;1: 9.

Monozyten-Monolyer-Assay.

Gugger S. *labmed*. 2012; Feb: 36-41.

2011

Hepatitis-B-Virus: Sicherheit von labilen Blutprodukten.

Niederhauser C, **Stolz M**. *pipette*. 2011;6: 20-22.

Reducing the risk of hepatitis B virus transfusion-transmitted infection.

Niederhauser C. *J Blood Med*. 2011;2: 91-102.

International survey on NAT testing of blood donations: expanding implementation and yield from 1999 to 2009.

Roth WK, Busch MP, Schuller A, Ismay S, Cheng A, Seed CR, Jungbauer C, Minsk PM, Sondag-Thull D, Wendel S, Levi JE, Fearon M, Delage G, Xie Y, Jukic I, Turek P, Ullum H, Tefanova V, Tilk M, Reimal R, Castren J, Naukkarinen M, Assal A, Jork C, Hourfar MK, Michel P, Offergeld R, Pichl L, Schmidt M,

Schottstedt V, Seifried E, Wagner F, Weber-Schehl M, Politis C, Lin C, O'Riordan J, Gottreich A, Shinar E, Yahalom V, Velati C, Satake M, Sanad N, Sisene I, Bon AH, Koppelman M, Flanagan P, Flesland O, Brojer E, Łętowska M, Nascimento F, Zhiburt E, Chua SS, Teo D, Stezinar SL, Vermeulen M, Reddy R, Park Q, Castro E, Eiras A, Gonzales Fraile I, Torres P, Ekermo B, Niederhauser C, Chen H, Oota S, Brant LJ, Eglin R, Jarvis L, Mohabir L, Brodsky J, Foster G, Jennings C, Notari E, Stramer S, Kessler D, Hillyer C, Kamel H, Katz L, Taylor C, Panzer S, Reesink HW. Vox Sang. 2011;Sep 21. doi: 10.1111/j.1423-0410.2011.01506.x.

**Genotypisierung von Spendern und Patienten.
Niederhauser C, Lejon Crottet S. Pipette 2011;5: 16-18.**

Platelet Recruitment during Multiple Donor Platelet Apheresis Differs between Cell Separators.

Fontana S, Keller P, Mansouri Taleghani B. Transfusion Medicine and Hemotherapy 2011;38:195-198.

A novel B^{weak} hybrid allele lacks three enhancer repeats but generates normal ABO transcript levels.

Thureson B, Hosseini-Maaf B, Hult A.K, **Hustinx H**, Alan Chester M, Olsson M.L. Vox Sanguinis 2011;May 19. doi: 10.1111/j.1423-0410.2011.01497.x.

Recruitment of platelets, Leukocytes, and hematopoietic progenitor cells during high-yield plateletpheresis.

Fontana S, Rados L, Schmid P, Oppliger E Leibundgut K and Mansouri Taleghani B. Transfusion 2011;51:2034-2043.

2010

Weak A phenotypes associated with novel ABO alleles carrying the A²-related 1061C deletion and various missense substitutions.

Hult A.K, Yazer M.H, Jorgensen R, Hellberg A, **Hustinx H**, Peyrard T, Palcic M.M, Olsson M.L. Transfusion 2010;Vol**, ** **.

Efficacy of individual nucleic acid amplification testing in reducing the risk of transfusion-transmitted hepatitis B virus infection in Switzerland, a low endemic region.

Stolz M, Tinguely C, Graziani M, Fontana S, Gowland P, Buser A, Michel M, Canellini G, Züger M, Schumacher P, Lelie N and **Niederhauser C**. Transfusion. 2010; 50: 2695-2706.

11 Jahre nationales Referenzzentrum für Infektionen durch Blut und Blutprodukte

Niederhauser C. BAG Bulletin. 2010;10: 336-344.

Fatal outcome of a hepatitis B virus transfusion-transmitted infection

Niederhauser C, Weingand T, Candotti D, Maier A, **Tinguely C**, Wuillemin W.A, **Gowland P**, Allain J.P, **Stolz M**. Vox Sanguinis. 2010; 98: 504-5074

500 ml of blood loss does not decrease non-invasive tissue oxygen saturation (StO₂) as measured by near infrared spectroscopy - A hypothesis generating pilot study in healthy adult women.

Jeger V, Jakob SM, **Fontana S**, Wolf M, Zimmermann H, Exadaktylos AK. J Trauma Manag Outcomes. 2010; 4: 5.

Donor Management Manual.

Bart T, Bartlett L, Carter M, Degiorgio A, Demetriades M, Dobrota AM, Domanovic D, Folléa G, **Fontana S**, Jarning M, Kinney C, de Kort W, Kral M, Kullaste R, Lévy G, Menelaou S, McSweeney E, Muon M, Pastila S, Redpath G, Sideras Z, Tschaggelar A, Veldhuizen I, Wagenmans E, Wickenden C. DOMAINE project, 2010.

2009

Editorial

Niederhauser C. pipette (Sonderheft Transfusionsmedizin). 2009;4:8.

Von der Erbsubstanz über die molekulare Blutgruppendiagnostik zum Routinescreening des Rhesus-D-Gens bei Blutspendern

Niederhauser C, Hustinx H. pipette. 2009;4:13-16.

Die "Blutgruppen" der Thrombozyten und Leukozyten: Bedeutung in der Transfusionsmedizin und Immunhämatologie.

Fontana S. pipette (Sonderheft Transfusionsmedizin). 2009;4:21-23.

Erythrozytentransfusion im Jahr 2008 – intensiv-medizinische Aspekte.

Regli B, **Mansouri Taleghani B.** pipette (Sonderheft Transfusionsmedizin). 2009;4:26-27.

Einführung von Guidelines für Erythrozytentransfusionen in der elektiven Chirurgie.

Mansouri Taleghani B, Müller U, Fontana S. pipette (Sonderheft Transfusionsmedizin). 2009;4:28-30.

Prospective, Paired Crossover Comparison of the in vitro Quality of Red Blood Cells Collected by the Automate for Blood Collection Device or by a Conventional Method.

Fontana S, Weingand T, Maier A, Mansouri Taleghani B. Transfusion Medicine and Hemotherapy. 2009;36:289-292.

The risk of a second diagnostic window with 4th generation HIV assays: Two cases.

Niederhauser C, Ströhle A, Stolz M, Müller F, Tinguely C. Journal of Clinical Virology. 2009;45:367-369.

Transfusion efficacy of ABO major-mismatched platelets (PLTs) in children is inferior to that of ABO-identical PLTs.

Julmy F, Ammann RA, **Mansouri Taleghani B, Fontana S, Hirt A, Leibundgut K.** Transfusion. 2009;49:21-33.

Molecular basis of the Rh antigen RH48 (JAL).

Hustinx H, Poole J, Bugert P, Gowland P, Still F, Fontana S, Scharberg E.A, Tilley L, Daniels G, Niederhauser C. Vox Sanguinis. 2009;96:234-239.

Will Genotyping Replace Serology in Future Routine Blood Grouping? – Opinion 2.

Hustinx H, Fontana S, Gowland P, Niederhauser C. Transfus Med Hemother. 2009;36:228-229.

2008

International Forum: Donors with a rare pheno (geno) type.

Reesink HW, Engelfriet CP, Schennach H, Gassner C, Wendel S, Fontão-Wendel R, de Brito MA, Sistonen P, Matilainen J, Peyrard T, Pham BN, Rouger P, Le Pennec PY, Flegel WA, von Zabern I, Lin CK, Tsoi WC, Hoffer I, Barotine-Toth K, Joshi SR, Vasantha K, Yahalom V, Asher O, Levene C, Villa MA, Revelli N, Greppi N, Marconi M, Tani Y, Folman CC, de Haas M, Koopman MW, Beckers E, Gounder DS, Flanagan P, Wall L, Aranburu Urtasun E, **Hustinx H, Niederhauser C**, Massey E, Gray A, Needs M, Daniels G, Callaghan T, Flickinger C, Nance SJ, Meny M. Vox Sanguinis. 2008;95:236-253.

Prospective multicentric study on red blood cell transfusion in elective orthopedic surgery.

Fontana S, Mansouri Taleghani B, Müller U, Luginbühl M, Staub L, Kwasna M, Schmid P, Krummen L, Lädach A, de la Cuadra C. Transfusion. 2008;48(Suppl):442-43A.

Effects of high-yield thrombocytapheresis on the quality of platelet products.

Julmy F, Ammann RA, **Mansouri Taleghani B, Fontana S**, Hirt A, Leibundgut K. Transfusion. 2008;48:442-50.

Blood donor screening: how to decrease the risk of transfusion-transmitted hepatitis B virus?

Niederhauser C, Mansouri Taleghani B, Graziani M, Stolz M, Tinguely C, Schneider P. Swiss Med Wkly. 2008;138(9-10):134-141.

International Forum: Occult hepatitis B infection in blood donors.

Reesink HW, Engelfriet C.P, Henn G, Mayr W.R, Delage G, Bernier F, Krusius T, Assal A, Gallian P, Corbi C, Morel P, David B, De Micco P, Murokawa H, Yugi H, Hino S, Tadokoro K, Fiesland O, Brojer E, Letowska M, Olim G, Nascimento F, Gonçalves H, Castro L, Morais M, Stezinar S.L, Alvarez M, Sauleda S, González R, **Niederhauser C, Stolz M**, Allain J.P, Owusu-Ofori S, Eglin R, Stramer S, Busch M, Strong D.M, Epstein J, Biswas R. Vox Sanguinis. 2008;94:153-166.