

- **Structural basis for red cell phenotypic changes in newly identified, naturally occurring subgroup mutants of the human blood group B glycosyltransferase**  
Hosseini-Maaf B, Letts JA, Persson M, Smart E, LePennec PY, **Hustinx H**, Zhao Z, Palcic MM, Evans SV, Chester MA, Olsson ML. Transfusion. 2007;47:864-875.
- **The molecular diversity of Sem7A, the semaphorin that carries the JMH blood group antigens**  
Seltam A, Strigens S, Levene C, Yahalom V, Moulds M, Moulds JJ, **Hustinx H**, Weisbach V, Figueroa D, Bade-Doeding C, Deluca DS, Blasczyk R. Transfusion. 2007;47:133-146.
- **The RHCE allele ceSL: the second example for D antigen expression without D-specific amino acids**  
Chen Q, **Hustinx H**, Flegel WA. Transfusion. 2006;46:766-772.
- **A KEL gene encoding serine at position 193 of the Kell glycoprotein results in expression of KEL1 antigen**  
Poole J, Warke N, **Hustinx H**, **Mansouri Taleghani B**, Martin P, Finning K, Crew VK, Green C, Bromilow I, Daniels G. Transfusion. 2006;46:1879-85.
- **Identification of six new alleles at the FUT1 and FUT2 loci in ethnically diverse individuals with Bombay and Para-Bombay phenotypes**  
Storry JR, Johannesson JS, Poole J, Strindberg J, Rodrigues MJ, Yahalom V, Levene C, Fujita C, Castilho L, **Hustinx H**, Olsson ML. Transfusion. 2006;46:2149-2161.
- **In-frame triplet deletions in RHD alter the D antigen phenotype**  
Flegel WA, Eicher NI, Doescher A, **Hustinx H**, **Gowland P**, **Mansouri Taleghani B**, Petershofen EK, Bauerfeind U, Ernst M, von Zabern I, Schrezenmeier H, Wagner FF. Transfusion. 2006;46:2156-2161.
- **Oxaliplatin-induced immune pancytopenia**  
**Mansouri Taleghani B**, Meyer O, **Fontana S**, Ahrens N, Novak U, Borner MM, Salama A. Transfusion. 2005;45:704-8.
- **Physiologie von Immunkomplexen. Teil 1**  
Nydegger UE, **Fontana S**. Swiss Medical Forum. 2005;5:335-340.

- **Klinische Bedeutung von Immunkomplexen. Teil 2**  
Fontana S, Gadola S, Mansouri Talethani B, Nydegger UE. Swiss Medical Forum. 2005;5:355-361.
- **New and unusual O alleles at the ABO locus are implicated in unexpected blood group phenotypes**  
Hosseini-Maaf B, Irshaid NM, Hellberg A, Wagner T, Levene C, Hustinx H, Steffensen R, Chester MA, Olsson ML. Transfusion. 2005;45:70-81.
- **Presence of RHD in serologically D-, C/E+ individuals: a European multicenter study**  
Gassner C, Doescher A, Drnovsek TD, Rozman P, Eicher NI, Legler TJ, Lukin S, Garritsen H, Kleinrath T, Egger B, Ehling R, Kormoczi GF, Kilga-Nogler S, Schoenitzer D, Petershofen EK. Transfusion. 2005;45:466-468.
- **Rapid titration of antiheparin/PF4 antibodies for bedside confirmation of heparin-induced thrombocytopenia**  
Alberio L, Kimmerle S, Baumann A, Mansouri Taleghani B, Demarmels Biasutti F, Lämmle B. Am J Med. 2003;114:528-536.
- **Acquired and transient RBC CD55 deficiency (Inab phenotype) and anti-IFC**  
Matthes T, Tullen E, Poole J, Banks J, Nagy M, Stelling MJ, Boehlen F, Michel M, Beris P, Hustinx H, Crew V, Daniels G. Transfusion. 2002;42:1448-1457.
- **Novel alleles at the JK blood group locus explain the absence of the erythrocyte urea transporter in European families**  
Irshaid NM, Eicher NI, Hustinx H, Poole J, Olsson ML. Br J Haematology. 2002;116:445-453.
- **DNB: a partial D with anti-D frequent in Central Europe**  
Wagner FF, Eicher NI, Jorgensen JR, Lonicer CB, Flegel WA. Blood. 2002;100:2253-2256.
- **The DAU allele cluster of the RHD gene**  
Wagner FF, Ladewig B, Angert KS, Heymann GA, Eicher NI, Flegel WA. Blood. 2002;100:306-311.

- **PCR screening for common weak D types shows different distributions in three Central European populations**  
Müller TH, Wagner FF, Trockenbacher A, **Eicher NI**, Flegel WA, Schönitzer D, Schunter F, Gassner C. Transfusion. 2001;41:45-52.
- **Rapid detection of antibodies to immunoglobulin A molecules by using the particle gel immunoassay**  
Salama A, Schwind P, Schönhage K, Genth R, Cotting C, **Hustinx H**, **Krieg R**, Nydegger U, Aebischer I. Vox Sanguinis. 2001;81:45-48.
- **Weak D alleles express distinct phenotypes**  
Wagner FF, Frohmajer A, Ladewig B, **Eicher NI**, Lonicer CB, Müller TH, Flegel WA. Blood. 2000;95:2699.